

Sign Language Recognition with Gesture Analysis

¹Suhas Dhavale, ²Prashant Umbare, ³Rutwik Gunjal, ⁴Sushil Daswadikar

^{1,2,3,4}Computer Engineering, PVPIT Bavdhan, Maharashtra, India

Abstract: The main communication methods used by deaf people are sign language, but opposed to common thought, there is no specific universal sign language: every country or even regional group uses its own set of signs. The use of sign language in digital systems can enhance communication in both directions: animated avatars can synthesize signals based on voice or text recognition; and sign language can be translated into various text or sound forms based on different images, videos and sensors input. The ultimate goal of this research, but it is not a simple spelling of spoken language, so that recognizing different signs or letters of the alphabet (which has been a common approach) is not sufficient for its transcription and automatic interpretation. Here proposes an algorithm and method for an application this would help us in recognising the various user defined signs. The palm images of right and left hand are loaded at runtime. Firstly these images will be seized and stored in directory. Then technique called Template matching is used for finding areas of an image that match (are similar) to a template image (patch). Our goal is to detect the highest matching area. We need two primary components- A) Source image (I): In the template image in which we try to find a match. B) Template image (T): The patch image which will be compared to the template image. In proposed system user defined patterns will be having 60% accuracy while default patterns will be provided with 80% accuracy.

Keywords: Specific user defined gestures, Gesture Recognition, Feature Extraction.

1. INTRODUCTION

It has been difficult for Deaf people to acquire writing system or oral language or sign language. But, the Deaf people have the right to an identity, language and culture. They have the right to access the available human symbolic communication, interaction, learning, etc. Sign Language, is the natural language of the Deaf, it is efficient and capable way of providing complex linguistic functionalities. Deaf culture is basically the term that defines social movement that regards deafness as a difference in human experience – rather than a deficiency.

The Deaf people face difficulties in acquiring a writing system, be it of the oral language, or of the Sign Language. Sign Languages share a commonality with other oral languages from minority groups that have their own cultural and traditional means of maintaining folk language art forms. The remainder of this paper further describes the plight of the Deaf, and their need for understanding Sign Language; and briefly discusses *Gesture or Sign Recognition*.

1.1 Literature Survey:

Sign Languages are tools for deaf people which can be used use for their communication, information gathering and access, education needs, among others. Information Systems, whose role should be to facilitate those processes, still do not present a natural interaction for the deaf. The challenge is to devise a framework with which to work towards tackling those drawbacks. The present study presents such a framework to support sign language recognition and interaction to serve as standard that should be used by Computer Vision in order to get back the field's genuine task of developing effective as well as efficient technologically derived services that take the deaf's needs into consideration towards social

inclusion. [D. R. Antunes, C. Guimaraes, L. S. Garcia, L. E. S. Oliveira, and S. Fernandes, “A framework to support development of sign language human-computer interaction: Building tools for effective information access and inclusion of the deaf,”[1]].

The tracking 3D objects articulated is a theoretically interesting and challenging problem. For example, the 3D tracking of human hands has various numbers of diverse applications including but not limited to human activity recognition, interaction between Human and Computer, understanding human grasping power, robot learning by demonstration, etc. To develop an effective and efficient solution, one has to struggle with a number of factors such as the high dimensionality of the problem, in chromatically manner the uniform appearance of a hand and the severe self-occlusions that occur while a hand is in action. [I.Oikonomidis, N. Kyriazis, and A. Argyros, “Efficient model-based 3d tracking of hand articulations using kinect,”[2]]

Image oriented real-time fitting algorithm for the hand, using an object recognition by parts approach, and we use this hand-modeler in an American Sign Language (ASL) digit recognition application. So, we created a realistic 3D hand model that represents the hand with 21 different parts. The classification results are stored into a local mode searching algorithm to estimate the joint locations for the hand skeleton. As an application of the system, we also describe a support vector machine (SVM) that is based on recognition module for the 10 digits of ASL based on our method, which attains a recognition rate of 99.9% on live depth images in real-time. [C. Keskin, F. Kira, Y. E. Kara, and L. Akarun, “Real time hand pose estimation using depth sensors.”[3]]

Here, we propose a model-based approach to the problem. It is an optimization problem that minimizes the discrepancy between the 3D structure and appearance of hypothesized 3D hand model instances, and actual visual observations. [I. Oikonomidis, N. Kyriazis, and A. Argyros, “Efficient model-based 3d tracking of hand articulations using kinect”[4]]

2. ARCHITECTURE

Use cameras for capturing different angles of the scene and reconstruct a standard view of the actor. We need to train the system first about the object information. The use of vocabularies with single words for the recognition of sign languages is therefore inappropriate due to the large amount of data required for training the system. A video database (*LIBRAS-HC-RGBDS*) containing all 61 hand configurations of LIBRAS was acquired with the Kinect sensor, using specially developed acquisition software




Fig -1: System Architecture

The first step of Image Acquisition as the name suggests is of acquiring the image during runtime. We acquire this image through integrated webcam. The images will be stored in the directory as soon as they are captured and the image captured recently will be acquired and will be compared with the images stored for specific letter in the database. The application picks up all the images specified in database and find the keypoints one by one of each image and finds the number of matched keypoints, the comparisons with highest matched keypoints in an image will take the advance and will produce as an output.

In orientation detection we will take the input of hand movement in any form or any gesture orientation will be detected through the described section of feature extraction. At last when the whole process is complete we will then convert the gesture into its recognized character or alphabet through application. The single dimensional array of twenty six character corresponding to alphabets has been passed where the image number stored in database is provided in the array.

3. CONCLUSION

A system for recognizing sign language hand configurations as described, which will additionally provide the facility to each individual to define and upload his own sign language into the system since every country or even regional group uses its own set of signs.

REFERENCES

- [1] M. Mohandes, M. Deriche, and J. Liu, "Image based and sensor based approaches to Arabic Sign language recognition", IEEE transactions on Human-Machine Systems, VOL. 44, No. 4, August 2014.
- [2] D. R. Antunes, C. Guimaraes, L. S. Garcia, L. E. S. Oliveira, and S. Fernandes, "A framework to support development of sign language human-computer interaction: Building tools for effective information access and inclusion of the deaf," in *Proc. Fifth Int Research Challenges in Information Science (RCIS) Conf*, 2011, pp. 1–12.
- [3] Cayley Guimaraes, Jeferson F. Guardezi, Luis Eduardo Oliveria, Sueli Fernandes, Federal University of Parana-UFPR, 2014 47th Hawaii International conference on system Science.
- [4] C. Keskin, F. Kira, Y. E. Kara, and L. Akarun, "Real time hand pose estimation using depth sensors." in *ICCV Workshops*. IEEE, 2011, pp.1228–1234.